Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2365	(250/208.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 13:33
L4	56	L3 and (sensor photo adj diode pixel adj sensor) and current adj source and saturation	US-PGPUB; USPAT	OR	OFF	2004/11/18 15:49
L5	2290	3 not 4	US-PGPUB; USPAT	OR	OFF	2004/11/18 17:34
L6	16	(("5801373") or ("5723877") or ("5698892") or ("5453611") or ("5283428") or ("4962412") or ("4866293") or ("4814846") or ("4810896") or ("4751559") or ("5869857") or ("5539461") or ("6064431") or ("6414292") or ("6043525") or ("5780858")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 17:36
L12	506	(257/292).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 19:50
L13	104	(348/310).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/18 19:50
S1	<b>i</b> .	("6670990").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 11:42
S2	3595	(250/214R).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 20:23
S3	5	"317585".ap.	US-PGPUB; USPAT	OR	OFF	2004/11/16 11:43
S4	6	"305853".ap.	US-PGPUB; USPAT	OR	OFF	2004/11/16 12:07
S5	1	("6670990").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 12:45
S6	1	("5841126").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 12:46
S7	3	(("5841126") or ("5471515") or ("6005619")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 13:06
S9_	187	S8 and reset adj voltage	US-PGPUB; USPAT	OR _	OFF	2004/11/16 13:13
S10	746	S8 and reset near3voltage	US-PGPUB; USPAT	OR	OFF	2004/11/16 18:11
S11	312	S8 and reset near3 voltage	US-PGPUB; USPAT	OR	OFF	2004/11/16 13:13

S12		("2002/0024424") LIDONI	LICDAT	00	OFF	2004/44/45 40 04
	0	("2003/0034434").URPN.	USPAT	OR	OFF	2004/11/16 18:04
S13	5	"225185".ap.	USPAT	OR	OFF	2004/11/16 18:05
S15	8	S8 and reset near3 voltage and row adj driver	US-PGPUB; USPAT	OR	OFF	2004/11/16 18:16
S16	1	("6016281").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 18:16
S17	1	("5297104").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 18:49
S18	5	("6016281").URPN.	USPAT	OR	OFF	2004/11/16 18:51
S19	2360	(250/208.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 18:54
S20	1775	S19 and (sensor photo adj diode pixel adj sensor)	US-PGPUB; USPAT	OR	OFF	2004/11/17 09:44
S21	2360	(250/208.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 09:45
S22	1039	S21 and (sensor photo adj diode	US-PGPUB;	OR	OFF	2004/11/18 13:32
· "i <sub>į</sub> .	* · · · · · · · · · · · · · · · · · · ·	pixel adj sensor) and voltage	USPAT			
S23	3	S21 and (sensor photo adj diode pixel adj sensor) and voltage and row adj circuit	US-PGPUB; USPAT	OR	OFF	2004/11/17 09:45
S24	6602	dark adj current	US-PGPUB; USPAT	OR	OFF	2004/11/17 10:17
S25	3920	dark adj current and (sensor pixel)	US-PGPUB; USPAT	OR	OFF	2004/11/17 10:17
S26	5013	dark adj current and (sensor pixel diode)	US-PGPUB; USPAT	OR	OFF	2004/11/17 10:17
S27	3796	dark adj current and (sensor pixel diode) and circuit	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:25
S28	3126	dark adj current and (sensor pixel diode) and circuit and voltage	US-PGPUB; USPAT	OR	OFF	2004/11/17 10:18
S29	82531	dark adj current and (sensor pixel diode) and circuit and voltage MOS	US-PGPUB; USPAT	OR	OFF	2004/11/17 10:18
S30	755	dark adj current and (sensor pixel	US-PGPUB;	OR	OFF-	2004/11/17 10:29
		diode) and circuit and voltage and mos	USPAT	1 / / / / / / / / / / / / / / / / / / /		
S31	478	dark adj current and (sensor pixel diode) and circuit and voltage and mos and reset	US-PGPUB; USPAT	OR	OFF	2004/11/17 14:50
S32	1	("6,348,325").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 11:01

S33	561	(348/308).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 11:24
S34	. 0	S33 and (GIDL gate adj induced adj drain adj leakage)	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:25
S35	1	dark adj current and (sensor pixel diode) and circuit and gidl	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:25
S36	1	dark adj current and (sensor pixel diode) and circuit and (gidl gate adj induced adj drain adj leakage)	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:26
S37	509	(gidl gate adj induced adj drain adj leakage)	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:26
S38	0	(gidl gate adj induced adj drain adj leakage) and senosr	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:26
S39	21	(gidl gate adj induced adj drain adj leakage) and sensor	US-PGPUB; USPAT	OR	OFF	2004/11/17 11:26
S40	.1	"4249122".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:53
S41	1	"4463383".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:53
S42		"4466018".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:54
S43	1	"4466018".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:57
S44	1	"4794247".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:58
S45	1	"5043820".PN.	USPAT; USOCR	OR	OFF	2004/11/17 11:59
S46	1	"5083016".PN.	USPAT; USOCR	OR	OFF	2004/11/17 12:00
S47	1	"5296696".PN.	USPAT; USOCR	OR	OFF	2004/11/17 12:00
S48	<b>1</b>	"5345266".PN.	USPAT; USOCR	OR	OFF	2004/11/17 12:05
S49	268	reset\$3 with voltage\$1 with (low two) and "250"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/17 17:20
S50	6	"305853".ap.	US-PGPUB; USPAT	OR	OFF	2004/11/17 14:50
S51	239	S49 not (S31 S39 S50)	US-PGPUB; USPAT	OR	OFF	2004/11/17 14:50
S52	1	("6809768").PN.	US-PGPUB; USPAT;	OR	OFF	2004/11/17 18:15
S53	6	"225185".ap.	USOCR US-PGPUB;	OR	OFF	2004/11/17 18:15
		· · · · · · · · · · · · · · · · · · ·	USPAT			

S54	3596	(250/214R).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 20:24
S55	203	S54 and reset	US-PGPUB; USPAT	OR	OFF	2004/11/17 21:21
S56	1	("6670990").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 20:29
S57	924	kochi	US-PGPUB; USPAT	OR	OFF	2004/11/17 20:30
S58	53	kochi adj tetsunobu	US-PGPUB; USPAT	OR	OFF	2004/11/17 20:30
S59	54	S54 and reset and (source adj follower current adj source)	US-PGPUB; USPAT	OR	OFF	2004/11/17-21:22